Acta Crystallographica Section E
**Structure Reports Online**
ISSN 1600-5368

# Potassium morpholine-4-carbodithioate monohydrate

**Ana C. Mafud**

Instituto de Física de São Carlos, Universidade de São Paulo, Av. Trabalhador Sãocarlense, 400, Caixa Postal 369, 13566-590 São Carlos, SP, Brazil
Correspondence e-mail: mafud@usp.br

Received 30 May 2012; accepted 28 June 2012

Key indicators: single-crystal X-ray study; $T$ = 290 K; mean $\sigma$(C–C) = 0.005 Å; $R$ factor = 0.047; $wR$ factor = 0.130; data-to-parameter ratio = 24.7.

In the ionic title compound, $K^+\cdot C_5H_8NOS_2^-\cdot H_2O$, the morpholine ring of the morpholine-4-carbodithioate anion has a chair conformation. The potassium cation is coordinated by four S and four O atoms in a bipyramidal reversed geometry. In the crystal, the three components are linked, generating infinite two-dimensional networks that lie parallel to the *bc* plane. These layers are linked *via* O—H⋯S hydrogen bonds, forming a three-dimensional structure.

## Related literature

For the crystal structures of similar compounds, see: Oskarsson *et al.* (1979); Albertsson *et al.* (1980); Ymén (1982); Mafud & Gambardella (2011*a*,*b*); Mafud *et al.* (2011). For puckering parameters, see: Cremer & Pople (1975).




## Experimental

*Crystal data*

$K^+\cdot C_5H_8NOS_2^-\cdot H_2O$
$M_r$ = 219.36
Monoclinic, $P2_1/c$
$a$ = 6.7235 (10) Å
$b$ = 17.260 (4) Å
$c$ = 8.1904 (10) Å
$\beta$ = 108.994 (10)°
$V$ = 898.7 (3) Å$^3$
$Z$ = 4
Mo $K\alpha$ radiation
$\mu$ = 1.01 mm$^{-1}$
$T$ = 290 K
0.45 × 0.30 × 0.20 mm

*Data collection*

Enraf–Nonius TurboCAD-4 diffractometer
Absorption correction: refined from $\Delta F$ (Walker & Stuart, 1983)
$T_{min}$ = 0.512, $T_{max}$ = 0.818
2779 measured reflections
2618 independent reflections
1615 reflections with $I > 2\sigma(I)$
$R_{int}$ = 0.027
3 standard reflections every 120 min
intensity decay: 10%

*Refinement*

$R[F^2 > 2\sigma(F^2)]$ = 0.047
$wR(F^2)$ = 0.130
$S$ = 1.01
2618 reflections
106 parameters
3 restraints
H atoms treated by a mixture of independent and constrained refinement
$\Delta\rho_{max}$ = 0.50 e Å$^{-3}$
$\Delta\rho_{min}$ = −0.61 e Å$^{-3}$

**Table 1**
Hydrogen-bond geometry (Å, °).

| $D$—H⋯$A$ | $D$—H | H⋯$A$ | $D$⋯$A$ | $D$—H⋯$A$ |
|---|---|---|---|---|
| O2—H1$O$⋯S1$^{i}$ | 0.86 (4) | 2.45 (4) | 3.219 (3) | 149 (3) |
| O2—H2$O$⋯S1$^{ii}$ | 0.85 (3) | 2.87 (5) | 3.462 (3) | 129 (4) |

Symmetry codes: (i) $-x-1, y+\frac{1}{2}, -z+\frac{1}{2}$; (ii) $-x-1, -y, -z+1$.

Data collection: *CAD-4 EXPRESS* (Enraf–Nonius, 1994); cell refinement: *CAD-4 EXPRESS*; data reduction: *XCAD4* (Harms & Wocadlo, 1995); program(s) used to solve structure: *SIR92* (Altomare *et al.*, 1994); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

The author is grateful to the CNPq, National Counsel of Technological and Scientific Development, for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SU2446).

## References

Albertsson, J., Oskarsson, Å., Ståhl, K., Svensson, C. & Ymén, I. (1980). *Acta Cryst.* B**36**, 3072–3078.
Altomare, A., Cascarano, G., Giacovazzo, C., Guagliardi, A., Burla, M. C., Polidori, G. & Camalli, M. (1994). *J. Appl. Cryst.* **27**, 435.
Cremer, D. & Pople, J. A. (1975). *J. Am. Chem. Soc.* **97**, 1354–1358.
Enraf–Nonius (1994). *CAD-4 EXPRESS*. Enraf–Nonius, Delft, The Netherlands.
Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
Harms, K. & Wocadlo, S. (1995). *XCAD4*. University of Marburg, Germany.
Mafud, A. C. & Gambardella, M. T. P. (2011*a*). *Acta Cryst.* E**67**, m942.
Mafud, A. C. & Gambardella, M. T. P. (2011*b*). *Acta Cryst.* E**67**, o879.
Mafud, A. C., Sanches, E. A. & Gambardella, M. T. (2011). *Acta Cryst.* E**67**, o2008.
Oskarsson, A., Ståhl, K., Svensson, C. & Ymen, I. (1979). *Eur. Cryst. Meet*, **5**, 67.
Sheldrick, G. M. (2008). *Acta Cryst.* A**64**, 112–122.
Walker, N. & Stuart, D. (1983). *Acta Cryst.* A**39**, 158–166.
Ymén, I. (1982). *Acta Cryst.* B**38**, 2671–2674.

# supplementary materials

*Acta Cryst.* (2012). E**68**, m1025 [doi:10.1107/S1600536812029613]

## Potassium morpholine-4-carbodithioate monohydrate

**Ana C. Mafud**

### Comment

The title compound, Fig. 1, is composed of a morpholinedithiocarbamate anion in contact with a potassium cation, which in turn is linked with a water molecule of crystallization. The crystal structure of similar compounds, for example Sodium 1-*R*-carbodithioate dihydrate, have been reported (Oskarsson *et al.*, 1979; Albertsson *et al.*, 1980; Ymén, 1982; Mafud & Gambardella *et al.*, 2011*a*,*b*).

The six-membered morpholine ring has a chair conformation with Puckering parameters [Cremer & Pople, 1975)] Q = 0.548 (3) Å, $\theta$ = 173,3(3)°, $\varphi 2$ = 2,6(3,4)°.

In the crystal, a polymeric structure is built by coordination of the potassium cation to four sulfur [K···S = 3.2670 (13) - 3.3797 (14) Å] and four oxygen [K···O = 2.828 (3) - 3.007 (3) Å] atoms, with a bi-pyramidal reversed geometry. This configuration generates close packed layers which remain cohesive in crystal stacking by van der Waals interactions. The distances of these contacts are slightly less than the sum of the van der Waals radii.

The crystal packing gives rise to a supramolecular structure, whose infinite two-dimensional network lies parallel to the bc plane (Fig. 2). These layers are linked via O-H···S hydrogen bonds (Table 1) to form a three-dimensional structure.

### Experimental

The potassium salts of DTC were prepared by direct reaction between amine and carbon disulfide ($CS_2$) in the presence of a stoichiometric amount of potassium hydroxide in ethanol/water 1:1 (*v*:*v*). The reaction mixture was placed in the freezer for 12 h and then filtered through a Büchner funnel, washed with cold ether and the product recrystallized in an ethanol-water mixture 1:1 (*v*:*v*). The obtained solid was recrystallized from ethanol-water 1:1 (*v*/*v*) and dried in a vacuum oven at 323 K for 8 h. Colourless crystals, suitable for X-ray diffraction analysis, were obtained. On heating they sublimed and decomposed.

### Refinement

The H-atom positions of the water molecule were located in a difference Fourier map and were refined with $U_{iso}$(H) = 1.5$U_{eq}$(O); O—H = 0.86 (4) and 0.85 (3) Å. The C-bound H-atoms of the anion were included in calculated positions and treated as riding atoms: C—H = 0.97 Å, with $U_{iso}$(H) = 1.2$U_{eq}$(parent C-atom).

### Computing details

Data collection: *CAD-4 EXPRESS* (Enraf–Nonius, 1994); cell refinement: *CAD-4 EXPRESS* (Enraf–Nonius, 1994); data reduction: *XCAD4* (Harms & Wocadlo, 1995); program(s) used to solve structure: *SIR92* (Altomare *et al.*, 1994); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).




**Figure 1**

A view of the molecular structure of the asymmetric unit of the title compound, with the numbering scheme. The displacement ellipsoids are drawn at the 50% probability level.



**Figure 2**

The view along the c axis of the crystal packing of the title compound.

**Potassium morpholine-4-carbodithioate monohydrate**

*Crystal data*

| | |
|---|---|
| $K^{+}\cdot C_5H_8NOS_2^{-}\cdot H_2O$ | $F(000) = 456$ |
| $M_r = 219.36$ | $D_x = 1.621$ Mg m$^{-3}$ |
| Monoclinic, $P2_1/c$ | Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å |
| Hall symbol: -P 2ybc | Cell parameters from 16 reflections |
| $a = 6.7235$ (10) Å | $\theta = 9.8$–$18.3°$ |
| $b = 17.260$ (4) Å | $\mu = 1.01$ mm$^{-1}$ |
| $c = 8.1904$ (10) Å | $T = 290$ K |
| $\beta = 108.994$ (10)° | Prism, colourless |
| $V = 898.7$ (3) Å$^3$ | 0.45 × 0.3 × 0.2 mm |
| $Z = 4$ | |

*Data collection*

Enraf–Nonius TurboCAD-4 diffractometer
Radiation source: Enraf Nonius FR590
Graphite monochromator
non–profiled $\omega/2\theta$ scans
Absorption correction: part of the refinement model ($\Delta F$) (Walker & Stuart, 1983)
$T_{min} = 0.512$, $T_{max} = 0.818$
2779 measured reflections
2618 independent reflections
1615 reflections with $I > 2\sigma(I)$
$R_{int} = 0.027$
$\theta_{max} = 30.0°$, $\theta_{min} = 2.4°$
$h = -9 \rightarrow 8$
$k = 0 \rightarrow 24$
$l = 0 \rightarrow 11$
3 standard reflections every 120 min
intensity decay: 10%

*Refinement*

Refinement on $F^2$
Least-squares matrix: full
$R[F^2 > 2\sigma(F^2)] = 0.047$
$wR(F^2) = 0.130$
$S = 1.01$
2618 reflections
106 parameters
3 restraints
Primary atom site location: structure-invariant direct methods
Secondary atom site location: difference Fourier map
Hydrogen site location: inferred from neighbouring sites
H atoms treated by a mixture of independent and constrained refinement
$w = 1/[\sigma^2(F_o^2) + (0.0644P)^2]$ where $P = (F_o^2 + 2F_c^2)/3$
$(\Delta/\sigma)_{max} < 0.001$
$\Delta\rho_{max} = 0.50$ e Å$^{-3}$
$\Delta\rho_{min} = -0.61$ e Å$^{-3}$

*Special details*

**Geometry**. Bond distances, angles etc. have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell esds are taken into account in the estimation of distances, angles and torsion angles

**Refinement**. Refinement of $F^2$ against ALL reflections. The weighted $R$-factor $wR$ and goodness of fit $S$ are based on $F^2$, conventional $R$-factors $R$ are based on $F$, with $F$ set to zero for negative $F^2$. The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating $R$-factors(gt) *etc*. and is not relevant to the choice of reflections for refinement. $R$-factors based on $F^2$ are statistically about twice as large as those based on $F$, and $R$- factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å$^2$)*

| | $x$ | $y$ | $z$ | $U_{iso}$*/$U_{eq}$ |
|---|---|---|---|---|
| K1 | −0.28085 (12) | 0.24637 (4) | 0.48217 (9) | 0.0366 (2) |
| S1 | −0.06278 (13) | −0.16683 (4) | 0.69255 (11) | 0.0320 (2) |
| S2 | 0.36659 (13) | −0.09853 (4) | 0.80129 (12) | 0.0336 (3) |
| O1 | −0.1501 (4) | 0.13219 (12) | 0.7743 (3) | 0.0366 (7) |
| O2 | −0.5955 (4) | 0.27515 (16) | 0.1617 (4) | 0.0496 (9) |
| N1 | 0.0172 (4) | −0.01514 (13) | 0.7295 (3) | 0.0261 (7) |
| C1 | 0.1003 (5) | −0.08662 (15) | 0.7399 (4) | 0.0240 (8) |
| C2 | 0.1460 (5) | 0.05521 (16) | 0.7583 (4) | 0.0293 (9) |
| C3 | 0.0660 (5) | 0.11438 (18) | 0.8574 (4) | 0.0334 (10) |
| C4 | −0.2719 (5) | 0.06303 (18) | 0.7624 (5) | 0.0348 (10) |
| C5 | −0.2096 (4) | 0.00131 (17) | 0.6581 (4) | 0.0289 (8) |
| H1O | −0.682 (6) | 0.3070 (18) | 0.093 (5) | 0.0740* |
| H2A | 0.14220 | 0.07690 | 0.64810 | 0.0350* |
| H2B | 0.29080 | 0.04230 | 0.82250 | 0.0350* |
| H2O | −0.645 (7) | 0.2294 (12) | 0.154 (6) | 0.0740* |

| | | | | |
|---|---|---|---|---|
| H3A | 0.08450 | 0.09460 | 0.97230 | 0.0400* |
| H3B | 0.14850 | 0.16140 | 0.86940 | 0.0400* |
| H4A | −0.41980 | 0.07520 | 0.70910 | 0.0420* |
| H4B | −0.25230 | 0.04350 | 0.87770 | 0.0420* |
| H5A | −0.28850 | −0.04570 | 0.65890 | 0.0350* |
| H5B | −0.24380 | 0.01850 | 0.53940 | 0.0350* |

*Atomic displacement parameters (Å$^2$)*

| | $U^{11}$ | $U^{22}$ | $U^{33}$ | $U^{12}$ | $U^{13}$ | $U^{23}$ |
|---|---|---|---|---|---|---|
| K1 | 0.0408 (4) | 0.0356 (4) | 0.0341 (4) | −0.0006 (3) | 0.0130 (3) | −0.0026 (3) |
| S1 | 0.0383 (4) | 0.0207 (3) | 0.0366 (4) | −0.0060 (3) | 0.0116 (3) | −0.0032 (3) |
| S2 | 0.0297 (4) | 0.0270 (4) | 0.0454 (5) | 0.0033 (3) | 0.0141 (3) | −0.0004 (3) |
| O1 | 0.0370 (12) | 0.0220 (10) | 0.0551 (15) | 0.0040 (9) | 0.0210 (11) | −0.0031 (10) |
| O2 | 0.0444 (15) | 0.0393 (14) | 0.0546 (17) | 0.0006 (12) | 0.0018 (13) | 0.0048 (13) |
| N1 | 0.0270 (12) | 0.0204 (11) | 0.0339 (14) | −0.0009 (9) | 0.0142 (10) | −0.0035 (10) |
| C1 | 0.0313 (14) | 0.0203 (13) | 0.0231 (14) | −0.0011 (11) | 0.0124 (11) | −0.0031 (11) |
| C2 | 0.0310 (15) | 0.0205 (13) | 0.0400 (18) | −0.0044 (11) | 0.0164 (14) | −0.0021 (12) |
| C3 | 0.0356 (17) | 0.0278 (15) | 0.0381 (18) | −0.0040 (12) | 0.0140 (14) | −0.0072 (13) |
| C4 | 0.0326 (16) | 0.0267 (15) | 0.051 (2) | 0.0004 (12) | 0.0218 (15) | −0.0025 (14) |
| C5 | 0.0267 (14) | 0.0255 (14) | 0.0349 (16) | −0.0005 (11) | 0.0108 (13) | −0.0004 (12) |

*Geometric parameters (Å, º)*

| | | | |
|---|---|---|---|
| K1—O1 | 3.002 (2) | N1—C2 | 1.465 (4) |
| K1—O2 | 2.828 (3) | N1—C1 | 1.346 (4) |
| K1—S1$^{i}$ | 3.2670 (13) | N1—C5 | 1.472 (4) |
| K1—S2$^{i}$ | 3.3630 (13) | C2—C3 | 1.508 (4) |
| K1—S1$^{ii}$ | 3.3797 (14) | C4—C5 | 1.508 (5) |
| K1—S2$^{ii}$ | 3.3708 (13) | C2—H2A | 0.9700 |
| K1—O1$^{iii}$ | 3.007 (3) | C2—H2B | 0.9700 |
| K1—O2$^{iv}$ | 2.967 (3) | C3—H3A | 0.9700 |
| S1—C1 | 1.730 (3) | C3—H3B | 0.9700 |
| S2—C1 | 1.707 (4) | C4—H4A | 0.9700 |
| O1—C3 | 1.423 (4) | C4—H4B | 0.9700 |
| O1—C4 | 1.433 (4) | C5—H5A | 0.9700 |
| O2—H2O | 0.85 (3) | C5—H5B | 0.9700 |
| O2—H1O | 0.86 (4) | | |
| | | | |
| O1—K1—O2 | 142.34 (8) | K1$^{iv}$—O1—C3 | 108.72 (17) |
| S1$^{i}$—K1—O1 | 72.85 (5) | K1$^{iv}$—O1—C4 | 110.7 (2) |
| S2$^{i}$—K1—O1 | 99.11 (5) | K1—O2—K1$^{iii}$ | 89.96 (8) |
| S1$^{ii}$—K1—O1 | 90.44 (6) | K1$^{iii}$—O2—H2O | 100 (3) |
| S2$^{ii}$—K1—O1 | 89.55 (5) | K1—O2—H2O | 94 (3) |
| O1—K1—O1$^{iii}$ | 147.70 (8) | H1O—O2—H2O | 112 (4) |
| O1—K1—O2$^{iv}$ | 66.04 (8) | K1—O2—H1O | 149 (2) |
| S1$^{i}$—K1—O2 | 142.49 (6) | K1$^{iii}$—O2—H1O | 101 (3) |
| S2$^{i}$—K1—O2 | 98.33 (6) | C1—N1—C5 | 123.9 (3) |
| S1$^{ii}$—K1—O2 | 94.95 (6) | C2—N1—C5 | 112.7 (2) |
| S2$^{ii}$—K1—O2 | 65.49 (6) | C1—N1—C2 | 122.6 (3) |

| | | | |
|---|---|---|---|
| O1$^{iii}$—K1—O2 | 67.68 (8) | S1—C1—N1 | 120.0 (3) |
| O2—K1—O2$^{iv}$ | 92.48 (9) | S2—C1—N1 | 120.2 (2) |
| S1$^{i}$—K1—S2$^{i}$ | 53.28 (3) | S1—C1—S2 | 119.81 (16) |
| S1$^{i}$—K1—S1$^{ii}$ | 97.59 (3) | N1—C2—C3 | 110.6 (3) |
| S1$^{i}$—K1—S2$^{ii}$ | 145.67 (4) | O1—C3—C2 | 112.1 (3) |
| S1$^{i}$—K1—O1$^{iii}$ | 83.26 (5) | O1—C4—C5 | 111.7 (3) |
| S1$^{i}$—K1—O2$^{iv}$ | 94.72 (6) | N1—C5—C4 | 110.7 (3) |
| S1$^{ii}$—K1—S2$^{i}$ | 143.59 (3) | N1—C2—H2A | 110.00 |
| S2$^{i}$—K1—S2$^{ii}$ | 161.01 (4) | N1—C2—H2B | 109.00 |
| S2$^{i}$—K1—O1$^{iii}$ | 82.85 (5) | C3—C2—H2A | 109.00 |
| S2$^{i}$—K1—O2$^{iv}$ | 64.28 (6) | C3—C2—H2B | 110.00 |
| S1$^{ii}$—K1—S2$^{ii}$ | 52.27 (3) | H2A—C2—H2B | 108.00 |
| S1$^{ii}$—K1—O1$^{iii}$ | 71.17 (5) | O1—C3—H3A | 109.00 |
| S1$^{ii}$—K1—O2$^{iv}$ | 148.77 (6) | O1—C3—H3B | 109.00 |
| S2$^{ii}$—K1—O1$^{iii}$ | 98.84 (5) | C2—C3—H3A | 109.00 |
| S2$^{ii}$—K1—O2$^{iv}$ | 104.89 (6) | C2—C3—H3B | 109.00 |
| O1$^{iii}$—K1—O2$^{iv}$ | 139.03 (8) | H3A—C3—H3B | 108.00 |
| K1$^{v}$—S1—C1 | 87.47 (11) | O1—C4—H4A | 109.00 |
| K1$^{ii}$—S1—C1 | 87.09 (11) | O1—C4—H4B | 109.00 |
| K1$^{v}$—S1—K1$^{ii}$ | 76.09 (3) | C5—C4—H4A | 109.00 |
| K1$^{v}$—S2—C1 | 84.71 (10) | C5—C4—H4B | 109.00 |
| K1$^{ii}$—S2—C1 | 87.73 (10) | H4A—C4—H4B | 108.00 |
| K1$^{v}$—S2—K1$^{ii}$ | 74.95 (2) | N1—C5—H5A | 110.00 |
| K1—O1—C3 | 120.77 (19) | N1—C5—H5B | 110.00 |
| K1—O1—C4 | 118.7 (2) | C4—C5—H5A | 109.00 |
| K1—O1—K1$^{iv}$ | 85.98 (6) | C4—C5—H5B | 109.00 |
| C3—O1—C4 | 108.9 (2) | H5A—C5—H5B | 108.00 |

| | | | |
|---|---|---|---|
| O2—K1—O1—C3 | 142.4 (2) | O2—K1—S1$^{ii}$—C1$^{ii}$ | −72.98 (12) |
| O2—K1—O1—C4 | 3.2 (3) | O2—K1—S1$^{ii}$—K1$^{iii}$ | 15.13 (6) |
| O2—K1—O1—K1$^{iv}$ | −108.20 (12) | O1—K1—S2$^{ii}$—C1$^{ii}$ | −71.26 (12) |
| S1$^{i}$—K1—O1—C3 | −54.13 (19) | O1—K1—S2$^{ii}$—K1$^{iii}$ | −156.39 (6) |
| S1$^{i}$—K1—O1—C4 | 166.7 (2) | O2—K1—S2$^{ii}$—C1$^{ii}$ | 137.86 (12) |
| S1$^{i}$—K1—O1—K1$^{iv}$ | 55.30 (5) | O2—K1—S2$^{ii}$—K1$^{iii}$ | 52.73 (7) |
| S2$^{i}$—K1—O1—C3 | −101.0 (2) | O1—K1—O1$^{iii}$—K1$^{iii}$ | 111.73 (12) |
| S2$^{i}$—K1—O1—C4 | 119.8 (2) | O1—K1—O1$^{iii}$—C3$^{iii}$ | −9.5 (2) |
| S2$^{i}$—K1—O1—K1$^{iv}$ | 8.40 (6) | O1—K1—O1$^{iii}$—C4$^{iii}$ | −129.1 (2) |
| S1$^{ii}$—K1—O1—C3 | 43.7 (2) | O2—K1—O1$^{iii}$—K1$^{iii}$ | −50.45 (8) |
| S1$^{ii}$—K1—O1—C4 | −95.5 (2) | O2—K1—O1$^{iii}$—C3$^{iii}$ | −171.6 (2) |
| S1$^{ii}$—K1—O1—K1$^{iv}$ | 153.11 (5) | O2—K1—O1$^{iii}$—C4$^{iii}$ | 68.8 (2) |
| S2$^{ii}$—K1—O1—C3 | 96.0 (2) | O1—K1—O2$^{iv}$—K1$^{iv}$ | 52.11 (7) |
| S2$^{ii}$—K1—O1—C4 | −43.2 (2) | O2—K1—O2$^{iv}$—K1$^{iv}$ | −159.92 (8) |
| S2$^{ii}$—K1—O1—K1$^{iv}$ | −154.62 (6) | K1$^{v}$—S1—C1—S2 | 39.50 (18) |
| O1$^{iii}$—K1—O1—C3 | −10.0 (3) | K1$^{v}$—S1—C1—N1 | −140.0 (2) |
| O1$^{iii}$—K1—O1—C4 | −149.2 (2) | K1$^{ii}$—S1—C1—S2 | −36.69 (18) |
| O1$^{iii}$—K1—O1—K1$^{iv}$ | 99.41 (13) | K1$^{ii}$—S1—C1—N1 | 143.8 (2) |
| O2$^{iv}$—K1—O1—C3 | −157.5 (2) | K1$^{v}$—S2—C1—S1 | −38.31 (18) |
| O2$^{iv}$—K1—O1—C4 | 63.4 (2) | K1$^{v}$—S2—C1—N1 | 141.2 (3) |
| O2$^{iv}$—K1—O1—K1$^{iv}$ | −48.08 (8) | K1$^{ii}$—S2—C1—S1 | 36.78 (18) |

| | | | |
|---|---|---|---|
| O1—K1—O2—K1$^{iii}$ | −113.36 (12) | K1$^{ii}$—S2—C1—N1 | −143.7 (2) |
| S1$^{i}$—K1—O2—K1$^{iii}$ | 93.11 (11) | K1—O1—C3—C2 | −81.8 (3) |
| S2$^{i}$—K1—O2—K1$^{iii}$ | 129.81 (6) | C4—O1—C3—C2 | 60.9 (3) |
| S1$^{ii}$—K1—O2—K1$^{iii}$ | −16.20 (6) | K1$^{iv}$—O1—C3—C2 | −178.43 (19) |
| S2$^{ii}$—K1—O2—K1$^{iii}$ | −60.59 (5) | K1—O1—C4—C5 | 82.8 (3) |
| O1$^{iii}$—K1—O2—K1$^{iii}$ | 51.11 (7) | C3—O1—C4—C5 | −60.7 (3) |
| O2$^{iv}$—K1—O2—K1$^{iii}$ | −165.83 (8) | K1$^{iv}$—O1—C4—C5 | 179.8 (2) |
| O1—K1—S1$^{i}$—C1$^{i}$ | −136.36 (13) | C2—N1—C1—S1 | −176.4 (2) |
| O1—K1—S1$^{i}$—K1$^{iv}$ | −48.73 (6) | C2—N1—C1—S2 | 4.1 (4) |
| O2—K1—S1$^{i}$—C1$^{i}$ | 27.08 (16) | C5—N1—C1—S1 | −8.1 (4) |
| O2—K1—S1$^{i}$—K1$^{iv}$ | 114.71 (11) | C5—N1—C1—S2 | 172.4 (2) |
| O1—K1—S2$^{i}$—C1$^{i}$ | 81.34 (12) | C1—N1—C2—C3 | −140.7 (3) |
| O1—K1—S2$^{i}$—K1$^{iv}$ | −7.73 (6) | C5—N1—C2—C3 | 49.8 (3) |
| O2—K1—S2$^{i}$—C1$^{i}$ | −132.18 (12) | C1—N1—C5—C4 | 140.7 (3) |
| O2—K1—S2$^{i}$—K1$^{iv}$ | 138.75 (7) | C2—N1—C5—C4 | −50.0 (3) |
| O1—K1—S1$^{ii}$—C1$^{ii}$ | 69.70 (12) | N1—C2—C3—O1 | −55.7 (3) |
| O1—K1—S1$^{ii}$—K1$^{iii}$ | 157.81 (5) | O1—C4—C5—N1 | 55.5 (3) |

Symmetry codes: (i) $-x, y+1/2, -z+3/2$; (ii) $-x, -y, -z+1$; (iii) $x, -y+1/2, z-1/2$; (iv) $x, -y+1/2, z+1/2$; (v) $-x, y-1/2, -z+3/2$.

*Hydrogen-bond geometry (Å, º)*

| *D*—H···*A* | *D*—H | H···*A* | *D*···*A* | *D*—H···*A* |
|---|---|---|---|---|
| O2—H1*O*···S1$^{vi}$ | 0.86 (4) | 2.45 (4) | 3.219 (3) | 149 (3) |
| O2—H2*O*···S1$^{vii}$ | 0.85 (3) | 2.87 (5) | 3.462 (3) | 129 (4) |

Symmetry codes: (vi) $-x-1, y+1/2, -z+1/2$; (vii) $-x-1, -y, -z+1$.